

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	simulation same interpreter same "configurable processor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:07
L2	33	simulation same "configurable processor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:13
L3	482	700/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:13
L4	1	700/2.ccls. and "configurable processor"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:13
L5	25	700/2.ccls. and (access\$3 near3 (state or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:15
L6	104	717/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:16
L7	4	717/135.ccls. and (access\$3 near3 (state or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:16
L8	11	717/139.ccls. and (access\$3 near3 (state or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:16
L9	221	717/139.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:16

L10	385	717/127.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:16
L11	25	717/127.ccls. and (access\$3 near3 (state or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:17
L12	25	700/2.ccls. and (access\$3 near3 (state or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:17
L13	482	700/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/12 13:17
S1	1	(configurable adj processor) and monitor and (instruction near5 insert\$3) and state and (dependenc\$3 or interdependenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:41
S2	13	(configurable adj processor) and tool and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/24 17:45
S3	226	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S4	133	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S5	179	717/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S6	176	717/131.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35

S7	36	717/132.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S8	33	717/133.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:35
S9	361	712/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S10	229	712/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S11	422	714/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S12	389	714/11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S13	160	714/12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S14	269	714/37.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:36
S15	1002	714/38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37
S16	285	714/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37

S17	347	714/46.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:37
S18	1	714/46.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:42
S19	1	717/124.ccls. and (configur\$4 adj processor) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 07:43
S20	1	717/124.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:39
S21	2	712/227.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:39
S22	1	712/209.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:40
S23	3	714/10.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:40
S24	3	714/11.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:41
S25	2	714/37.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:41
S26	1	714/38.ccls. and (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:42

S27	74	configurable adj (processor or pu or (processing adj unit)) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 11:46
S28	91	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 08:48
S29	57	(adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit)) and state and (debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:10
S30	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near3 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:25
S31	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state and (dependen\$4 or inter-dependen\$4 or (inter adj dependen\$4) or interdependen\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:28
S32	1	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3)near5 ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:29
S33	19	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:30

S34	19	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable) adj (processor or pu or (processing adj unit))) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 12:40
S35	18648	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state and (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:42
S36	4636	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) near3 state same (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:44
S37	355	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:45
S38	10	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 717/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 09:54
S39	13	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 714/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 10:06
S40	9	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) adj state near3 (pu or processor or microprocessor or (processing adj unit)) and 712/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 10:06
S41	29874	(access\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:55
S42	49786	(debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 (processor or pu or (processing adj unit) adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:56

S43	59211	(debug\$4 or monitor\$3 or instrument\$3 or access\$3 or profil\$3 or trac\$3 or query or querying) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:57
S44	543	access\$3 near3 processor near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:58
S45	119	access\$3 near3 processor adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:58
S46	2	query adj processor adj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:59
S47	1075	debug\$4 near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 14:59
S48	396	debug\$4 near3 processor and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:07
S49	2	debug\$4 near3 processor adj (creation or design or development or configuration) and 7??/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:11
S50	0	debug\$4 near3 (configur\$4 adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:11
S51	986	configur\$4 adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:12
S52	678	configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 15:13

S53	479	configur\$4 adj processor and (test\$3 or debug\$4 or monitor or instrument\$5) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:13
S54	10	("5450586" "5535331" "5748875" "5819050" "5854929" "5870588" "5999734" "6006022" "6182206" "6195593").PN.	USPAT	OR	OFF	2003/05/01 15:32
S55	0	"6477683".URPN.	USPAT	OR	OFF	2003/05/01 15:37
S56	5	("5303350" "5452467" "5635855" "5777885" "6272465").PN.	USPAT	OR	OFF	2003/05/01 15:42
S57	26494	state and (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:16
S58	1253	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:28
S59	325	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:32
S60	260	processor near5 state and (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:33
S61	28	processor near5 state same (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35
S62	0	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies) and debug\$4 and ???/???.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35
S63	1	processor near5 state adj (dependency or dependencies or interdependencies or inter-dependencies)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/01 16:35

S64	11	("5359546" "5537560" "5841670" "6182245" "6510402" "5371883").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 08:11
S65	6	("5854929" "5896521" "6142683").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:57
S66	0	Ussery.in. and debug.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:58
S67	27	Ussery.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:58
S68	0	"barry.in" and configurable and multi-processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:59
S69	0	"barry.in" and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 09:59
S70	120	barry.in. and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 10:00
S71	2	coprocessing/debug and barry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/05 10:00
S72	36	debug\$4 near5 (configur\$5 near3 (processor or pu or (processing adj unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:20
S73	49	debug\$4 near5 (configur\$5 near3 (processor or pu or (processing adj unit) or microprocessor or micro-processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:22

S74	441	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) near3 (processor or pu or (processing adj unit) or microprocessor or micro-processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:25
S75	73	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5)adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:36
S76	2	debug\$4 near5 ((configurable or programmable or reprogrammable or re-programmable) adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 15:38
S77	73	debug\$4 near5 ((configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) adj (processor or pu or (processing adj unit) or microprocessor or micro-processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 17:06
S78	2	"5754759".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 16:39
S79	1	(analog adj devices).as. and (dinh and hoffman and kolagotla and rivin and roth and singh).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 16:40
S80	111	debug\$4 near5 (configur\$5 or program\$5 or reprogram\$5 or re-progrma\$5) SAME ((processor or pu or (processing adj unit) or microprocessor or micro-processor) NEAR5 STATE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/18 17:08
S81	6	debug\$4 near5 (configurable or programmable or reprogrammable or re-programable) SAME ((processor or pu or (processing adj unit) or microprocessor or micro-processor) NEAR5 STATE)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:24
S82	0	"09506502".an. and wang.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25

S83	2794	wang.in. and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25
S84	10	wang.in. and configurable near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/19 07:25
S85	4690	debug\$4 and state and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:46
S86	1289	debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:48
S87	272	embed\$3 near5 debug\$4 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:35
S88	15198	state near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:51
S89	10379	state near2 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:54
S90	312	state near2 processor and ((save near3 restore) or save-and-restore)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:55
S91	125	state near2 processor and ((save near3 restore) or save-and-restore) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:55
S92	125	state near2 processor and ((save near3 restor\$3) or save-and-restor\$3) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:56

S93	256	state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 15:56
S94	0	(embed\$3 near5 debug\$4 and state) and (access\$3 adj (state near2 processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 15:59
S95	9	access\$3 adj (state near2 processor) and embed\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:10
S96	2	"6118304".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:10
S97	52	access\$3 adj (state near2 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:12
S98	57	embed\$3 near5 debug\$4 and (state near3 processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:36
S99	57	(embed\$3 near5 debug\$4 and (state near3 processor)) not (access\$3 adj (state near2 processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 16:36
S100	34	(state near2 processor and ((sav\$3 near3 restor\$3) or save-and-restor\$3) and embed\$4) and (debug\$4 and state and interpret\$3 and (access\$3 or transmit\$4 or send\$3 or collect\$3 or retriev\$3 messaging) near3 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/25 17:12
S101	139	chip same ((multiple or plurality) adj core)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:13

S10 2	1403	chip same topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:14
S10 3	23	retriev\$3 same chip same topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:14
S10 4	5	chip same ((multiple or plurality) adj core) and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/25 17:17
S10 5	2	"6587995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/30 12:20
S10 6	2	"6587995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:43
S10 7	7	"6587995".URPN.	USPAT	OR	OFF	2004/11/10 15:31
S10 8	13	("5068823" "5566097" "5629876" "5913052" "6023565" "6028993" "6173419" "6321366" "6324672" "6453456" "6460172" "6466898" "6473727" "2002/0073380" "2002/0152060").PN.	USPAT	OR	OFF	2004/11/10 15:34
S10 9	172	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:44
S11 0	0	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3 same (return\$3 near3 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:49
S11 1	12	(test\$3 or optimiz\$5) same (fpga or programmable) same interpret\$3 and (return\$3 near3 state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:54

S11 2	1	(test\$3 or optimiz\$5 or debug\$4) same (send\$3 or transmit\$4) near3 (instruction) same (fpga or programmable) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:56
S11 3	137	remot\$3 near3 (test\$3 or optimiz\$5 or debug\$4) same (fpga or programmable or configur\$4) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 15:58
S11 4	94	remot\$3 near3 (test\$3 or optimiz\$5 or debug\$4) same (fpga or programmable or configur\$4) and interpret\$3 and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:53
S11 5	0	("6104988" "6587995" "6560557" "6618854").pn. and (configurable adj processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:53
S11 6	2	("6104988" "6587995" "6560557" "6618854").pn. and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:54
S11 7	269	generat\$3 near3 (hardware adj description)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:55
S11 8	0	((configurable adj processor) near5 generat\$3) and (generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:56
S11 9	13	(configurable adj processor) near5 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 16:56
S12 0	0	"6701515".URPN.	USPAT	OR	OFF	2004/11/10 16:59
S12 1	11	("5257379" "5361373" "5696956" "5768567" "5819064" "5857106" "6035123" "6096091" "6189140" "6216191" "6321369").PN.	USPAT	OR	OFF	2004/11/10 17:00
S12 2	19	"6477683".URPN.	USPAT	OR	OFF	2004/11/10 17:06

S12 3	36	generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:12
S12 4	52	generat\$3 near3((hardware adj description) or hdl) same ((configurable adj processor) or fpga or eeprom or prom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:13
S12 5	16	(generat\$3 near3((hardware adj description) or hdl) same ((configurable adj processor) or fpga or eeprom or prom)) not (generat\$3 near3 (hardware adj description) same ((configurable adj processor) or fpga or eeprom or prom))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 17:13
S14 3	0	"717/124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:41
S14 4	611	"717/124"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:42
S14 5	361	"717/124" and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:42
S14 6	32	"717/124" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
S14 7	294	"717/125"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
S14 8	13	"717/125" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43

S14 9	447	"717/128"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
S15 0	30	"717/128" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
S15 1	401	"717/131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:43
S15 2	16	"717/131" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
S15 3	89	"717/132"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
S15 4	6	"717/132" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
S15 5	930	"712/227"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S15 6	74	"712/227" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
S15 7	36	"712/209" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:44
S15 8	74	"712/227" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45

S15 9	937	"714/10"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S16 0	43	"714/10" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S16 1	75	"714/11" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S16 2	29	"714/12" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S16 3	57	"714/37" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:45
S16 4	109	"714/38" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
S16 5	47	"714/45" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
S16 6	40	"714/46" and state and configurable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:46
S16 7	288	S160 or S161 or S162 or S163 or S164 or S165 or S166	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:47
S16 8	101	S156 or S157 or S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:47

S16 9	723	S145 or S148 or S151 or S152 or S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
S17 0	420	S148 or S151 or S152 or S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
S17 1	60	S148 or S150 or S152 or S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/15 16:48
S17 2	0	configurable adj (processor or pu or (processing adj unit)) and state and edwards.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 11:46
S17 3	5	netlist and intermediate and edwards.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 11:47
S17 4	6655	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable or erasable or programmable or programable) adj (processor or pu or (processing adj unit) or eeprom or eprom)) or eprom or eeprom) and state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 12:45
S17 5	1107	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable or erasable or programmable or programable) adj (processor or pu or (processing adj unit) or eeprom or eprom)) or eprom or eeprom) same state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 12:46
S17 6	208	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same ((adaptable or modifiable or configurable or erasable or programmable or programable) adj (processor or pu or (processing adj unit) or eeprom or eprom)) or eprom or eeprom) same state and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 12:48

S17 7	12	(debug\$4 or monitor\$3 or trac\$3 or instrument\$5 or insert\$3 or simulat\$3) same (((adaptable or modifiable or configurable or erasable or programmable or programable) adj (processor or pu or (processing adj unit) or eeprom or eprom)) or eprom or eeprom) same state and interpret\$3 and (multiprocessor or disparate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 12:59
S17 8	6	("6219153" "6081533" "6219628").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 13:00
S17 9	5	("6219153" "6081533" "6219628").pn. and (debug\$4 or test\$3 or monitor\$3 or instrument\$3 or profil\$3 or trace or tracing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 13:02
S18 0	91	debug\$4 near5 (adaptable or modifiable or configurable or reconfigurable or eprom or eeprom) and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 13:04
S18 1	91	debug\$4 near5 (adaptable or modifiable or configurable or reconfigurable or eprom or eeprom) and interpret\$3 and (second\$3 or subsequent or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 13:39
S18 2	2	"6581191".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 13:48
S18 3	1	"6581191".pn. and interpret\$3 and debug\$4 and (state or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 14:01
S18 4	1	"6581191".pn. and interpret\$3 and debug\$4 and (state or status) and (adaptable or modifiable or configurable or reconfigurable or eprom or eeprom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 15:08
S18 5	98	duboc.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 15:08

S18 6	2	duboc.in. and "6587995".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:14
S18 7	1770	716/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:14
S18 8	115	716/4.ccls. and programmable and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:24
S18 9	45	716/17.ccls. and programmable and interpret\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:25
S19 0	16	716/17.ccls. and programmable and interpret\$3 and (save or restor\$3 or restoration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:28
S19 1	4995	716/17.ccls. and programmable and interpret\$3 and (save or restor\$3 or restoration) and (library or dll or repository or collection or table or database) and hdl or "hardware description"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:29
S19 2	9	716/17.ccls. and programmable and interpret\$3 and (save or restor\$3 or restoration) and (library or dll or repository or collection or table or database) and (hdl or "hardware description")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 16:31
S19 3	2	716/17.ccls. and programmable and interpret\$3 and (save or restor\$3 or restoration) near3 (state or status or value) and (library or dll or repository or collection or table or database) and (hdl or "hardware description")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 16:31